



Tabel 1

Pikkus või laius (m)	0,25	0,50	0,75	1,00	1,25	1,50	1,75	2,00	2,25	2,50	2,75	3,00
0,25	A	A	A	A	A	A	A	A	A	A	A	A
0,50	A	B	C	D	D	D	D	D	D	D	D	D
0,75	A	C	E	F	G	G	G	G	G	G	G	G
1,00	A	D	F	H	I	I	K	K	K	K	L	L
1,25	A	D	G	I	K	L	M	N	N	O	O	O
1,50	A	D	G	I	L	N	O	P	Q	Q	R	R
1,75	A	D	G	K	M	O	Q	R	S	T	T	T
2,00	A	D	G	K	N	P	R	S	T	U	V	V

Tabel 2

Koormus	A	B	C	D	E	F	G	H	I	K	L	M	N	O	P	Q	R	S	T	U	V
600 N/m ²	2	3	3	4	4	5	5	6	6	8	8	8	8	10	10	10	10	12	12	15	15
750 N/m ²	2	3	4	4	5	5	6	6	8	8	8	8	10	10	10	12	12	12	12	15	15
960 N/m ²	3	3	4	4	5	5	6	6	8	8	10	10	10	10	12	12	12	15	15	15	15
1500 N/m ²	3	4	5	5	6	6	8	8	10	10	12	12	12	12	12	15	15	15	15	20	20
2000 N/m ²	4	4	5	6	6	8	10	10	10	12	12	12	15	15	15	15	20	20	20	20	20
3000 N/m ²	4	5	6	8	8	8	12	12	12	15	15	15	15	20	20	20	20	20	25	25	25

Valige tabelist 1 lehe mõõtudele vastav tegur ning tabelist 2 leiate vastavalt koormusele vajaliku akrüülklaasi paksuse (mm).